



Certificate of Compliance

Superbond™ Mortar Cement Type S Manufactured at Argos USA – Martinsburg Plant

This is to certify that each bag of Argos Superbond™ Mortar Cement Type S complies with ASTM specification C1329.

Furthermore, when Argos Superbond™ Mortar Cement is batched at the rate of one bag of Mortar Cement to two and one quarter to three cubic feet of mason's sand, conforming to ASTM C144, and mixed in a mechanical mixer with clean, potable water, the resultant mortar will comply with the listed limits of the property specification listed in Table II of ASTM C270.

Please note that ASTM C270 is a laboratory test procedure only and is specifically not to be used to determine mortar strengths or other properties through field-testing. For field testing procedures, refer to ASTM C780.

Limited Warranty

Argos warrants that Argos Cements meet applicable ASTM requirements. Argos makes no other warranty, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY WARRANTY of merchantability or fitness for a particular purpose, ALL OF WHICH ARE EXPRESSLY DISCLAIMED. Having no control over their use, Argos will not guarantee finished work in which these products are used.

A handwritten signature in black ink that reads "Bill Kjarlien". The signature is written in a cursive, slightly slanted style.

Bill Kjarlien
Masonry Technical Service Manager
Argos USA LLC
bkjarlien@argos-us.com; (404) 307-5992